


THE URBAN ELECTRIC COMPANY



BELMONT WALL



BELMONT WALL

REGULAR

MM-3900WR

DIMENSIONS

| | |
|--------|---------|
| Width | 11.5in |
| Height | 23.5in |
| Depth | 16.25in |
| X | 13.25in |
| Y | 4.5in |


MOUNTING

| | |
|------------------------|-------------|
| Recommended Installers | 2 |
| Weight | 28lbs |
| Backplate | 5in x 5in |
| Junction Box | 4in oct/rnd |



LAMP / WIRING



Max Wattage (1) 60W C
Ships with complimentary LED bulb



RATING

Suitable for WET locations

UL Listed



BELMONT WALL

LARGE

MM-3900WL

DIMENSIONS

| | |
|--------|--------|
| Width | 14in |
| Height | 27in |
| Depth | 18.5in |
| X | 15in |
| Y | 4.5in |

MOUNTING

| | |
|------------------------|-------------|
| Recommended Installers | 2 |
| Weight | 38lbs |
| Backplate | 5in x 5in |
| Junction Box | 4in oct/rnd |




WARNING: HEAVY

*Safety cable must attach to building structure.

LAMP / WIRING

Max Wattage (1) 60W C
Ships with complimentary LED bulb



RATING

Suitable for WET locations
UL Listed

