

# THE URBAN ELECTRIC COMPANY



CHILTERN ON BRACKET WALL



# CHILTERN ON BRACKET WALL

REGULAR - METAL - STANDARD HEIGHT


UE-2229WR

## DIMENSIONS

Width	12in
Height	40in
Depth	13.75in
X	34in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	12lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary LED bulbs



## RATING



Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)



# CHILTERN ON BRACKET WALL

REGULAR - METAL - REDUCED HEIGHT



UE-2227WR

## DIMENSIONS

Width	12in
Height	30in
Depth	13.75in
X	24in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	12lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary LED bulbs



## RATING


Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)



# CHILTERN ON BRACKET WALL

REGULAR - METAL - MINIMUM HEIGHT


UE-2226WR

## DIMENSIONS

Width	12in
Height	20in
Depth	13.75in
X	14in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	11lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage	(2) 60W S
Ships with complimentary LED bulbs	





## RATING

Suitable for DAMP locations	
UL Listed	

## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)



# CHILTERN ON BRACKET WALL

REGULAR - FABRIC - MINIMUM HEIGHT


UE-2228WR

## DIMENSIONS

Width	12in
Height	20in
Depth	13.75in
X	14in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	8lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage	(2) 60W S
Ships with complimentary LED bulbs	





## RATING

Suitable for DAMP locations	
UL Listed	

## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)



# CHILTERN ON BRACKET WALL

REGULAR - FABRIC - STANDARD HEIGHT


UE-2233WR

## DIMENSIONS

Width	12in
Height	40in
Depth	13.75in
X	34in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	9lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING



Max Wattage	(2) 60W S
Ships with complimentary bulbs	

## RATING

Suitable for DAMP locations	
UL Listed	

## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)



# CHILTERN ON BRACKET WALL

REGULAR - FABRIC - REDUCED HEIGHT




UE-2231WR

## DIMENSIONS

Width	12in
Height	30in
Depth	13.75in
X	24in
Y	9.5in

## MOUNTING

Recommended Installers	2
Weight	9lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary bulbs

## RATING


Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)



# CHILTERN ON BRACKET WALL

LARGE - METAL - MINIMUM HEIGHT



UE-2226WL

## DIMENSIONS

Width	16in
Height	20in
Depth	17.5in
X	4.5in
Y	11.25in

## MOUNTING

Recommended Installers	2
Weight	14lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage	(2) 60W S
Ships with complimentary LED bulbs	




## RATING

Suitable for DAMP locations	
UL Listed	

## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)





# CHILTERN ON BRACKET WALL

LARGE - METAL - REDUCED HEIGHT

UE-2227WL

## DIMENSIONS


Width	16in
Height	30in
Depth	17.5in
X	11.25in

## MOUNTING

Recommended Installers	2
Weight	14lbs
Backplate	3in x 9in
Junction Box	

## LAMP / WIRING

Max Wattage	(2) 60W S
Ships with complimentary LED bulbs	



## RATING


Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)



# CHILTERN ON BRACKET WALL

LARGE - METAL - STANDARD HEIGHT

UE-2229WL

## DIMENSIONS

Width	16in
Height	40in
Depth	17.5in
X	11.25in
Y	11.25in

## MOUNTING

Recommended Installers	2
Weight	0lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary LED bulbs



## RATING




Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/905,998)



# CHILTERN ON BRACKET WALL

LARGE - FABRIC - MINIMUM HEIGHT



UE-2228WL

## DIMENSIONS

Width	16in
Height	20in
Depth	17.5in
X	14in
Y	11.25in

## MOUNTING

Recommended Installers	2
Weight	13lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary LED bulbs



## RATING


Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)



# CHILTERN ON BRACKET WALL

LARGE - FABRIC - REDUCED HEIGHT



UE-2231WL

## DIMENSIONS

Width	16in
Height	30in
Depth	17.5in
X	24in
Y	11.25in

## MOUNTING

Recommended Installers	2
Weight	13lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage (2) 60W S  
Ships with complimentary bulbs

## RATING


Suitable for DAMP locations

UL Listed



## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)



# CHILTERN ON BRACKET WALL

LARGE - FABRIC - STANDARD HEIGHT


UE-2233WL

## DIMENSIONS

Width	16in
Height	40in
Depth	17.5in
X	34in
Y	11.25in

## MOUNTING

Recommended Installers	2
Weight	13lbs
Backplate	3in x 9in
Junction Box	2in x 4in rect



## LAMP / WIRING

Max Wattage	(2) 60W S
Ships with complimentary bulbs	

## RATING

Suitable for DAMP locations	
UL Listed	

## PATENTS

This fixture has been filed with the United States Patent and Trademark Office, U.S. Pat. Pen. (U.S. Appl. No. 29/906,000)

